


* FINISH WALL OVER MOUNTING PLATE AND BEHIND BACKPANEL, MAKE SURE THAT FINISHED WALL EXTENDS WITHIN THE BRACKET/BOWL MOUNTING HOLES (TO PROVIDE SURFACE AREA FOR RUBBER SPACERS TO CONTACT).



TOP VIEW

DIMENSION	MODEL	
	1011/HO/HPS	
"X"	25-1/2" [648mm]	
LOWER SUPPLY	28-3/4" [730mm]	
LOWER WASTE	27-7/8" [708mm]	
UPPER SUPPLY	33-3/4" [857mm]	
UPPER WASTE	32-7/8" [835mm]	

DIMENSION	MODEL	
	1119/HO	1119.14/HO
"X"	27-5/8" [702mm]	27-5/8" [702mm]
LOWER SUPPLY	29-5/8" [752mm]	29-5/8" [752mm]
LOWER WASTE	30-3/4" [781mm]	30-3/4" [781mm]
UPPER SUPPLY	35-3/8" [905mm]	35-3/8" [905mm]
UPPER WASTE	36-1/2" [927mm]	36-1/2" [927mm]

DIMENSION	MODEL	
	1119FR	
"X"	27-5/8" [702mm]	
SUPPLY	SEE FREEZE	
WASTE	VALVE ROUGH-IN	

DIMENSION	MODEL	
	1117LN/HO	
"X"	27" [686mm]	
LOWER SUPPLY	29-1/2" [749mm]	
LOWER WASTE	29-1/4" [743mm]	
UPPER SUPPLY	35-1/2" [902mm]	
UPPER WASTE	35-1/4" [895mm]	

CAUTION

REGARDING CONCRETE/MASONRY WALL MOUNTING: DO NOT SECURE MOUNTING PLATE TO SAME SIDE OF WALL AS FOUNTAIN. AVOID COMPROMISING INTEGRITY OF WALL WHEN ANCHORING FOUNTAIN. IT IS RECOMMENDED THAT INSTALLER CALL TECHNICAL SUPPORT IF THERE ARE ANY QUESTIONS AS TO HOW TO OBTAIN A PROPER ANCHOR IN CONCRETE/MASONRY WALLS. 1-800-766-5612



1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWSCO.COM
WEBSITE: WWW.HAWSCO.COM

ECN NO. REVISED PER BY:	MODEL(S)	PART NUMBER
ECN: 5893 FV		0002080023
DRAWN: CJL DATE: 04-29-93 CHKD.: KM	6700.4	REVISION
APPROVED: FV DATE: 09/08/23	SCALE: N/A DRAWING TYPE: INSTALLATION	19
SIZE: A SHEET 1 OF 1		